Issue date: 19/11/2024

Section 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

JEM 1X resin - liquid pack UFI: EAY4-J2D0-0310-30HQ

1.2. Relevant identified uses of the substances or mixture and uses advised against

Component of encapsulating medium for power cable joints

1.3. Details of the supplier of the safety data sheet

Company information Prysmian Cables and Systems Ltd

Oak Road, Wrexham Industrial Estate,

Wrexham LL13 9PH

Prysmian Cavi e Sistemi Italia S.r.l.

Via Chiese 6 20126 – Milano

Italy

Telephone +44 (0) 1978 66 2375

Email sa.clpsd01qb@prysmiangroup.com

1.4. Emergency telephone number

Emergency telephone number +44 (0)1978 66 2216

Poison Centre Information

Country	Organisation	Address	Contact No.
United	National Poisons Information	National Poisons Information Service,	0344 892 0111*
Kingdom	Service (Birmingham)	City Hospital,	
		Dudley Road,	
		B18 7QH, England	
Republic of	Poisons Information Centre of	National Poisons Information Centre,	01 809 2166
Ireland	Ireland	Beaumont Hospital,	01 837 9964*
		Beaumont Road,	
		Dublin 9, Ireland	
	French National Products and	Centre Antipoison de Nancy,	
	Composition Database	CHRU de Nancy,	
France	(B.N.P.C.); French Poison and	Hôpital Central,	+33 3 83 85 21 92
	Toxicovigilance Centre	29 av. de Lattre de Tassigny,	
	Network	54000 NANCY, France	
Germany	BfR Bundesinstitut für Risikobewertung	Max-Dohrn-Str. 8-10, 10589 Berlin	+49 30 18412 0
Italy	Istituto Superiore di Sanità (ISS)	Viale Regina Elena 299, Rome, Italy	
	Instituto Nacional de	Calle José Echegaray 4,	
Spain	Toxicología y Ciencias	28032 Las Rozas de Madrid,	+34 917689800
	Forenses (INTCF)	Madrid, Spain	

^{*} For use by healthcare professionals only.



Section 2 Hazards identification

This product is a mixture.

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (EU "CLP" Regulation):

Irritation of skin	Hazard Category 2	H315
Eye irritation	Hazard Category 2	H319
STOT: Single Exposure	Hazard Category 3	H335
Chronic aquatic toxicity	Hazard Category 1	H410

For full text of hazard statements see Section 16.

2.2. Label elements

Labelling according to Regulation (EC) 1272/2008 (EU "CLP" Regulation):

Signal Word: Warning

GHS Pictogram





Hazard Statement: Causes skin irritation (H315)

Causes serious eye irritation (H319) May cause respiratory irritation (H335)

Very toxic to aquatic life with long lasting effects (H410)

Precautionary Statement (Prevention): Avoid breathing dust/fume/gas/mist/vapour/spray (P261)

Wash hands thoroughly after handling (P264)
Use only outdoors or in a well-ventilated area (P271)

Avoid release to the environment (P273)

Wear protective gloves/protective clothing/eye protection

(P280)

Precautionary Statement (Response): IF ON SKIN: Wash with plenty of soap and water (P302 +

P352)

IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing (P304 + P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue

rinsing. (P305 + P351 + P338)

If skin irritation occurs: Get medical advice/attention (P332 +

P313)

If eye irritation persists, get medical attention (P337 + P313)

Collect spillage. (P391)

Take off contaminated clothing and wash before reuse

(P362)

Precautionary Statement (Disposal): Dispose of contents/container in accordance with local

regulation (P501)



Remarks:

Testing to international protocols at independent test houses has shown that JEM liquid is not irritating to eyes and skin nor is it a skin sensitiser. The latter results coupled with the very low vapour pressure would also indicate that it is unlikely to be a respiratory irritant or sensitiser. (See Section 11)

2.3. Other hazards

Polymerisation with heat evolution may occur in the presence of peroxides, reducing substances and/or heavy metal ions.

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB. The mixture does not contain substances identified as having endocrine disrupting properties.

Section 3 Composition / information on ingredients

This product is a mixture.

Chemical Name	CAS Number	EC Number	REACH Registration Number	Hazard Class/ Category /Statement	Concentration (w/w%)
Isodecylmethacrylate	29964- 84-9	249- 978-2	01- 2118949925- 17-XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 Aquatic Chronic 1; H410	97.9
Reaction mass of 2-{[2-(2-hydroxyethoxy)ethyl](4-methyl phenyl)amino}ethanol and 2,2'-[(4-methylphenyl)imino]diethanol		911-490- 9	01- 2119979579- 10-XXXX	Acute Tox. Oral 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335	1.2
Polyacrylate oligomer				Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE; H335	0.9

Section 4 First aid measures

4.1. Description of first aid measures

General information: Remove contaminated clothing immediately. Wash before re-use. Inhalation: Remove to fresh air, provide warmth and rest. If necessary, seek medical attention. Skin Contact: Wash contaminated skin with soap and water. If necessary, seek medical attention. Ingestion: Do not induce vomiting. Drink plenty of water and if necessary, seek medical attention. Eye Contact: Flush with large amounts of water. If necessary, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed.

No specific effects and/or symptoms have been reported or are known.

4.3. Indication of any immediate medical attention and special treatment needed.

No data available



Section 5 Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Carbon dioxide, foam or dry powder.

5.2. Special hazards arising from the substance or mixture

Decomposes to give carbon dioxide, carbon monoxide and water. Cool endangered vessels with water

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Section 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

This material is not classified as hazardous to health, but exposure should be minimised. Remove personnel from areas of substantial spillage.

6.1.2. For emergency responders

This material is not classified as hazardous to health, but exposure should be minimised. Remove personnel from areas of substantial spillage.

6.2. Environmental precautions

Prevent product from entering drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Contain the spillage and absorb using earth, sand or other absorbent material. Particulate materials such as SAFFIRE (supplied by Zeppelin and Co) have been found to be particularly effective and may be incinerated for disposal purposes. The recommended disposal route is incineration. Alternatively, liquid spillages may be mopped up with the powder component of the resin pack. After curing, the residue may be disposed of as general waste.

6.4. Reference to other sections

See Section 13 for disposal information.

Section 7 Handling and storage

7.1. Precautions for safe handling

Use in a well ventilated area.

7.2. Conditions for safe storage, including any incompatibilities

Store in cool dry location. Avoid prolonged exposure to sunlight. Maximum recommended storage temperature is 40°C. There is no lower limit on storage temperature.



7.3. Specific end use(s)

See Section 1.2

Section 8 Exposure controls / personal protection

8.1. Control parameters

No occupational exposure limits have been assigned to this material.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Observe normal safety and hygiene standards.

8.2.2. Individual protection measures

Eye protection: Wear eye protection.

Skin protection: Wear suitable overalls and gloves (nitrile or neoprene).
Respiratory protection: No respiratory protection needed under normal use

conditions.

8.2.3. Environmental exposure controls

Avoid release to the environment. Prevent product from entering drains/surface water/ground water.

Section 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Odour:

Odour threshold:

Melting point:

Freezing point:

Liquid

Pale Yellow

Slight ester like

No data available

Not applicable (liquid)

No data available

Boiling point: >250°C

Flammability:

Lower explosion limit:

Upper explosion limit:

Flash point:

Auto-ignition temperature

Decomposition temperature

PH:

No data available

Viscosity, kinematic:

Solubility:

No data available
Insoluble in water

Partition coefficient n-octanol/water: (Log K_{ow}): 4.92

Vapour pressure:

Vapour pressure at 50°C

Density:

Relative density:

4.8 Pa @ 25°C

No data available

No data available

0.88 g/cm³ @ 20°C

Relative density: 0.88 g/cm³ @ 20° Relative vapour density at 20°C >1 (relative to air)

Particle characteristics Does not contain nanomaterials



9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available.

9.2.2. Other safety characteristics

No additional information available.

Section 10 Stability and reactivity

10.1. Reactivity

Not reactive to materials commonly used in the transportation, handling and storage of industrial materials.

10.2. Chemical stability

Stable at room temperature and temperatures up to 60°C

10.3. Possibility of hazardous reactions

Will polymerise exothermically when mixed with radical forming substances such as peroxides. Maximum exothermic temperature is 55°C.

10.4. Conditions to avoid

Avoid prolonged exposure to direct sunlight.

10.5. Incompatible materials

Strong oxidising and reducing agents.

10.6. Hazardous decomposition products

None when used as directed.



Section 11 Toxicological information

11.1. Information on toxicological effects

Acute Toxicity: Data not available

Skin corrosion/irritation: Skin irritancy has been investigated (for isodecyl

methacrylate) to OECD Test Method 404. Single 4-hour application to rabbit skin produced minimal signs of irritation.

Serious eye damage/irritation: Eye irritancy has been investigated (for isodecyl methacrylate)

to OECD Test Method 405. Single application to rabbit eye

produced minimal conjunctival irritation.

Sensitisation data: Skin sensitisation has been investigated (for the liquid blend)

to OECD Test Method 406. No evidence of skin sensitisation

was detected.

There are no known reports of respiratory sensitisation

Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT-single exposure
STOT-repeated exposure
Aspiration hazard
Data not available
Data not available
Data not available
Data not available

11.2. Information on other hazards

The mixture does not contain substances identified as having endocrine disrupting properties.

Section 12 <u>Ecological information</u>

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture does not contain any REACH registered substances assessed to be a PBT or a vPvB.

12.6. Endocrine disrupting properties

The mixture does not contain substances identified as having endocrine disrupting properties.

12.7. Other adverse effects

No data available



Section 13 Disposal considerations

13.1. Waste treatment methods

Product: Waste incineration with the approval of the responsible local

authority

Packaging: Plastic containers may be disposed of by approved landfill if

contaminated by cured material. Uncontaminated packaging (i.e. the external plastic container for two part kits) may be re-

granulated for further use.

Section 14 Transport information

14.1. UN number or ID number

Not regulated under transport regulation.

14.2. UN proper shipping name

Not regulated under transport regulation.

14.3. Transport hazard class

Not regulated under transport regulation.

14.4. Packing group

Not regulated under transport regulation.

14.5. Environmental hazards

Not regulated under transport regulation.

14.6. Special precautions for user

None identified.

14.7. Transport in bulk according to IMO instuments

No data available.



Section 15 Regulatory information

This Safety Data Sheet has been prepared in accordance with the requirements of regulation (EC) No 1907/2006 as amended.

Labelling elements as classified under Regulation (EC) 1272/2008.

The Workplace exposure Limit given in Section 8 has been taken from the UK HSE document: EH40/2005 Workplace Exposure Limits as amended.

Additional relevant regulations:

Regulation (EC) 790/2009 First Adaptation to Technical Progress (ATP) for CLP regulation

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

None applicable.

15.2. Chemical safety assessment

A chemical safety assessment has not been undertaken for this mixture.

Section 16 Other information

Full text of H-Statements

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects

This SDS (version 7.0) is the 7th version of this SDS for this product.

This information is believed to be accurate and represents the best information available to the company at this time. This information is provided as a guide to the hazards and respective safety precautions relevant to this product. This SDS does not represent any guarantee of performance or specification. The information relates only to the product specified and may not be suitable for combinations with other materials or in processes other than those specifically described herein.